

1. A network facsimile apparatus capable of communicating using both a telephone network and a computer network, said apparatus comprising:

a mail section which transmits and receives an e-mail  
via the computer network;

a storage which stores received data including an image received by said facsimile section and data of an e-mail received by said mail section;

wherein said web server comprising:

an interface which provides a received transmission request to said facsimile section or said mail section when said web server receives a transmission request for a terminal from said client.

3. The network facsimile apparatus of claim 2, wherein said interface provides said document number and said destination which are entered by said client to said facsimile section, and said facsimile section reads out an image corresponding to said document number provided from said interface from said storage and transmits said image to said destination.

5. The network facsimile apparatus of claim 2, wherein said structured document for transmission is adapted to enable a plurality of destinations to be entered.

6. The network facsimile apparatus of claim 5, wherein said interface provides said document number and a plurality of

destinations which are entered by said client to said facsimile section, and said facsimile section reads out an image corresponding to said document number provided from said interface from said storage and transmits said image to said plurality of destinations.

7. The network facsimile apparatus of claim 5, wherein said interface provides said document number and a plurality of destinations which are entered by said client to said mail section, and said mail section reads out data of an e-mail corresponding to said document number provided from said interface from said storage and transmits said data of the e-mail to said plurality of destinations.

8. The network facsimile apparatus of claim 2, wherein when said interface receives a plurality of document numbers which are entered on said enter page, said interface reads out a plurality of received data each corresponding to each of the plurality of document numbers from said storage to merge, while providing the merged received data to said facsimile section or said mail section corresponding to the destination along with said document number and said destination.

9. The network facsimile apparatus of claim 2, wherein said structured document generating section generates a structured document of reception list, and said structured document of reception list includes a description used in displaying a reception list in which document information corresponding to received data stored in said storage are listed up, another description used in displaying an item indicative of

600290-8964E60

10. The network facsimile apparatus of claim 2, said enter page is adapted to enable a facsimile number and an e-mail address to be entered at one time as destinations subjected to the transmission request.

12. The network facsimile apparatus of claim 1, wherein said structured document generating section generates a structured documents of communication result report of said facsimile section and said mail section based on a communication result of said facsimile section and said mail section sequentially.

14. The network facsimile apparatus of claim 13, wherein said structured document for device setting includes a description used in displaying an item to perform a setting for only

printing received data received by said facsimile section and said mail section without storing in said storage, and another description used in transmitting a setting request for only printing said received data without storing in said storage to said web server when said item to perform said setting is selected.

15. The network facsimile apparatus of claim 13, wherein said structured document for device setting includes a description used in displaying an item to perform a setting for only storing received data received by said facsimile section and said mail section in said storage without printing, and another description used in transmitting a setting request for only storing said received data in said storage without printing to said web server when said item to perform said setting is selected.

16. The network facsimile apparatus of claim 13, wherein said structured document for device setting includes a description used in displaying an item to perform a setting for printing received data received by said facsimile section and said mail section while storing in said storage, and another description used in transmitting a setting request for printing said received data while storing in said storage to said web server when said item to perform said setting is selected.

17. The network facsimile apparatus claim 13, wherein said structured document for device setting includes a description used in displaying an item to set a storage period of received data received by said facsimile section and said mail section.

18. A transmission method comprising:

receiving an image via a telephone network;

receiving an e-mail via a computer network;

storing said image and said e-mail received in a storage;

5 receiving a request for a structured document used in transmitting to a terminal, wherein said structured document includes a description for enabling a client which is connected to said computer network to request transmission processing to a web server,

10 transmitting said structured document used in transmitting to the terminal to said client when said request for said structured document used in transmitting to the terminal is received;

receiving a transmission request for the terminal from  
15 said client; and

providing the received transmission request to said facsimile section and said mail section when receiving the transmission request for the terminal from said client.

0034458 052099

Add A.1  
add  
B